http://www.jourmag.org/index.php/jma

Journal of Magnetism and Its Applications

Received February 10th 2025 received in revised March 6th 2025 accepted April 11th 2025

Research articles

Recent Advances in Magnetic Nanoparticles for Biomedical Imaging and Cancer Therapy

Amina Al-Farsi
Nanomedicine Research Center, Sultan Qaboos University, Oman

Article info

Keywords:
Magnetic nanoparticles,
nanomedicine,
magnetic resonance imaging,
magnetic hyperthermia,
targeted drug delivery,
cancer therapy,
biomedical imaging,
nanotechnology

Abstract

Magnetic nanoparticles (MNPs) have emerged as a promising class of nanomaterials with significant potential in biomedical imaging and cancer therapy. Their unique magnetic properties, nanoscale dimensions, and ability to be manipulated using external magnetic fields make them highly suitable for diagnostic and therapeutic applications. Recent advances in nanotechnology have enabled the development of multifunctional magnetic nanoparticles capable of acting as contrast agents for magnetic resonance imaging (MRI), carriers for targeted drug delivery, and mediators for magnetic hyperthermia therapy. In oncology, these nanoparticles enable precise localization of tumors, controlled drug release, and localized heat generation to destroy malignant cells. This article reviews recent developments in the synthesis, functionalization, and biomedical applications of magnetic nanoparticles, highlighting their role in imaging, targeted therapy, and integrated theranostic systems. Additionally, the challenges associated with toxicity, biocompatibility, and clinical translation are discussed, along with future research directions that could improve their effectiveness in personalized medicine and cancer treatment.

Introduction

Nanotechnology has transformed modern medicine by enabling the development of nanoscale materials that interact with biological systems at the cellular and molecular levels. Among these materials, magnetic nanoparticles have attracted considerable attention due to their unique magnetic behavior, high surface area, and tunable physicochemical properties. These nanoparticles can be engineered to respond to external magnetic fields, allowing precise control over their movement and biological interactions. Magnetic nanoparticles are commonly composed of iron oxide, cobalt, nickel, or their oxides, with iron oxide nanoparticles being the most widely studied due to their biocompatibility and magnetic characteristics. Their nanoscale size allows them to penetrate tissues and interact with biological molecules, enabling their use in diagnostic imaging and therapeutic applications. Recent developments in nanomedicine have demonstrated that magnetic nanoparticles can significantly improve diagnostic accuracy and treatment efficiency in various diseases, particularly cancer. In biomedical imaging, magnetic nanoparticles are widely used as contrast agents in magnetic resonance imaging (MRI). Their magnetic properties enhance signal contrast, allowing improved visualization of tissues and pathological conditions. Compared with traditional contrast agents, magnetic nanoparticles provide higher sensitivity and longer imaging times, making them valuable tools for early disease detection. In cancer therapy, magnetic nanoparticles offer multiple advantages. They can deliver therapeutic drugs directly to tumor tissues, reducing systemic toxicity and improving treatment efficiency. Furthermore, when exposed to alternating magnetic fields, these nanoparticles generate localized heat that can destroy cancer cells through a process known as magnetic hyperthermia. This combination of diagnostic and therapeutic capabilities has led to the development of theranostic platforms that integrate imaging and therapy in a single system. The increasing interest in magnetic nanoparticles has led to significant progress in synthesis techniques, surface modification, and clinical applications. This article explores the recent advances in magnetic nanoparticles for biomedical imaging and cancer therapy, focusing on their design, applications, and future potential.

Properties and Design of Magnetic Nanoparticles

Magnetic nanoparticles (MNPs) possess distinctive physical, magnetic, and chemical characteristics that differentiate them from conventional bulk magnetic materials. Their nanoscale dimensions—typically ranging from 1 to 100 nanometers—lead to unique quantum and surface effects that strongly influence their behavior in biological environments. Among the most important magnetic properties is superparamagnetism, a phenomenon observed in very small ferromagnetic or ferrimagnetic nanoparticles such as iron oxide (Fe_3O_4 and γ-Fe_2O_3). In the superparamagnetic state, nanoparticles exhibit strong magnetization when exposed to an external magnetic field but rapidly lose magnetization once the field is removed. This behavior prevents permanent magnetic interactions between particles, reducing aggregation and improving their safety and stability for biomedical use. Another significant property of magnetic nanoparticles is their high surface-to-volume ratio, which allows a large number of chemical groups to be attached to the particle surface. This characteristic facilitates surface engineering, enabling the attachment of polymers, drugs, antibodies, peptides, or nucleic acids. Surface modification is essential for improving nanoparticle stability in biological fluids, preventing oxidation, and reducing cytotoxic effects. Biocompatible coatings such as polyethylene glycol (PEG), dextran, silica, and chitosan are commonly used to enhance circulation time in the bloodstream and minimize immune system recognition. The design of magnetic nanoparticles relies heavily on precise synthesis techniques that control particle size, morphology, crystallinity, and magnetic behavior. Co-precipitation is one of the most widely used methods because it is simple, cost-effective, and suitable for large-scale production of iron oxide nanoparticles. In this process, iron salts are precipitated under alkaline conditions to form magnetite nanoparticles. Thermal decomposition, on the other hand, produces highly uniform nanoparticles with narrow size distributions by decomposing organometallic precursors at high temperatures in organic solvents. Hydrothermal and solvothermal synthesis methods allow controlled crystal growth under high pressure and temperature, leading to nanoparticles with improved magnetic properties and structural stability. Advances in nanotechnology have also enabled the fabrication of core–shell magnetic nanoparticles, where the magnetic core is coated with another material such as gold, silica, or polymer layers. These core–shell structures improve chemical stability, protect the magnetic core from oxidation, and provide functional surfaces for drug attachment or molecular targeting. Additionally, magnetic nanoparticles can be incorporated into hybrid nanostructures that combine magnetic, optical, or fluorescent properties, enabling multimodal imaging and therapy. Furthermore, magnetic nanoparticles can be engineered as multifunctional theranostic platforms. These platforms integrate diagnostic and therapeutic functions into a single nanosystem. For example, a single nanoparticle may serve as an MRI contrast agent, carry anticancer drugs, and generate heat under alternating magnetic fields for

*Corresponding author
Email: amina.alfarsi@squ.edu.om
DOI: 10.53533/JMA.v2i1.27

hyperthermia therapy. Such multifunctional systems are particularly attractive for personalized medicine because they enable simultaneous disease detection, targeted treatment, and treatment monitoring. Recent research has also focused on improving the biodegradability and biosafety of magnetic nanoparticles. Scientists are developing environmentally friendly synthesis methods and biodegradable coatings to ensure safe clearance of nanoparticles from the body after therapeutic use. These advancements are critical for translating magnetic nanoparticle technologies from laboratory research to clinical applications.

Magnetic Nanoparticles in Biomedical Imaging

Magnetic nanoparticles have become powerful tools in biomedical imaging due to their ability to enhance image contrast and improve diagnostic accuracy. One of their most important applications is in magnetic resonance imaging (MRI), where they serve as contrast agents that modify local magnetic fields and influence the relaxation times of nearby hydrogen nuclei. Iron oxide nanoparticles are particularly effective MRI contrast agents because their strong magnetic moments produce significant changes in transverse relaxation (T_2), leading to enhanced contrast between healthy and diseased tissues. Compared with conventional gadolinium-based contrast agents, iron oxide nanoparticles offer several advantages, including improved stability, longer circulation times, and reduced toxicity. Their nanoscale size allows them to accumulate preferentially in certain tissues, such as tumors or inflamed areas, through mechanisms like the enhanced permeability and retention (EPR) effect. This property enables more accurate detection of tumors, metastases, and vascular abnormalities. Magnetic nanoparticles also enable targeted imaging, in which nanoparticles are functionalized with antibodies, peptides, or ligands that recognize specific biomarkers on cancer cells or diseased tissues. Once injected into the body, these targeted nanoparticles bind selectively to diseased cells, increasing contrast in the affected area and improving the sensitivity of diagnostic imaging. This targeted approach allows physicians to detect diseases at earlier stages and to monitor treatment responses more effectively. In addition to MRI, magnetic nanoparticles are gaining attention in the emerging field of magnetic particle imaging (MPI). MPI is a novel imaging technique that directly detects magnetic nanoparticles rather than relying on nuclear magnetic resonance signals. This method provides exceptionally high sensitivity and spatial resolution, allowing real-time tracking of nanoparticles in living organisms. MPI has significant potential for monitoring drug delivery, imaging blood flow, and detecting tumors with high precision. Another important imaging application of magnetic nanoparticles is multimodal imaging, where nanoparticles are engineered to support multiple imaging techniques simultaneously. For example, magnetic nanoparticles can be combined with fluorescent dyes, radioactive isotopes, or optical probes to enable MRI-fluorescence or MRI-PET imaging. These hybrid imaging systems provide complementary information, improving diagnostic accuracy and enabling comprehensive visualization of biological processes. Magnetic nanoparticles also play a role in cell tracking and molecular imaging. In regenerative medicine and stem cell research, cells can be labeled with magnetic nanoparticles and monitored using MRI as they migrate and integrate into tissues. This capability allows researchers to study cellular behavior and evaluate the effectiveness of therapeutic interventions in real time. Overall, the integration of magnetic nanoparticles into medical imaging technologies has significantly improved the ability to diagnose diseases at early stages and monitor treatment progress. As nanotechnology continues to evolve, these nanoparticles are expected to play an increasingly important role in precision medicine, enabling more accurate diagnostics and personalized treatment strategies.

Magnetic Nanoparticles in Targeted Drug Delivery

Targeted drug delivery represents one of the most significant advancements in modern cancer therapy, and magnetic nanoparticles have emerged as powerful tools for achieving this objective. Conventional chemotherapy treatments often distribute anticancer drugs throughout the entire body, affecting both malignant and healthy cells. This non-specific distribution frequently leads to severe side effects such as immune suppression, hair loss, organ toxicity, and gastrointestinal complications. Magnetic nanoparticles provide a strategy to overcome these limitations by enabling controlled and localized drug delivery directly to tumor tissues, thereby increasing therapeutic efficiency while reducing systemic toxicity. Magnetic nanoparticles used in drug delivery systems are typically composed of iron oxide cores coated with biocompatible materials such as polymers, silica, lipids, or proteins. These coatings stabilize the nanoparticles in biological fluids and provide functional groups that allow therapeutic drugs to be attached to the particle surface. Anticancer agents can be conjugated to the nanoparticle through chemical bonds, encapsulated within polymer shells, or adsorbed onto the surface of the nanoparticle. This flexible drug-loading capability allows researchers to design delivery systems tailored to specific types of cancer and treatment strategies. One of the key advantages of magnetic nanoparticles is their ability to be guided using external magnetic fields. After intravenous injection, magnetic nanoparticles circulate through the bloodstream. By applying a magnetic field near the tumor site, physicians can concentrate the nanoparticles in a targeted region of the body. This process, known as magnetic targeting, significantly enhances drug accumulation at the tumor site while minimizing exposure to healthy tissues. The improved localization of therapeutic agents increases treatment effectiveness and reduces unwanted side effects associated with conventional chemotherapy. Another important feature of magnetic nanoparticle-based drug delivery systems is their ability to enable controlled and stimulus-responsive drug release. Drugs attached to nanoparticles can be released through several mechanisms, including changes in pH, temperature, enzymatic activity, or external magnetic stimulation. Tumor environments often exhibit acidic pH conditions compared to normal tissues, which can trigger the release of drugs from pH-sensitive nanoparticle coatings. Similarly, magnetic nanoparticles can release drugs when exposed to alternating magnetic fields that generate localized heating, causing the drug carrier matrix to break down or change structure. To further improve targeting precision, researchers frequently functionalize magnetic nanoparticles with biological recognition molecules, such as antibodies, peptides, folic acid, or aptamers. These molecules recognize specific receptors that are overexpressed on cancer cells. Once the nanoparticles encounter these receptors, they bind selectively to tumor cells through receptor–ligand interactions. This method, known as active targeting, enhances cellular uptake of nanoparticles and increases drug concentration within malignant tissues while minimizing interaction with normal cells. Magnetic nanoparticle drug delivery systems also allow multifunctional therapeutic strategies. In addition to delivering chemotherapeutic drugs, nanoparticles can carry gene therapy agents, small interfering RNA (siRNA), or immunotherapeutic molecules that regulate gene expression and tumor growth. This capability enables combination therapies that attack cancer through multiple biological mechanisms simultaneously. Furthermore, magnetic nanoparticles can be integrated into theranostic platforms, where drug delivery and diagnostic imaging occur simultaneously. For example, a single nanoparticle system may carry anticancer drugs while also functioning as a contrast agent for magnetic resonance imaging (MRI). This dual functionality allows clinicians to monitor drug distribution in real time and evaluate treatment effectiveness during therapy. Overall, magnetic nanoparticles provide a versatile and highly promising platform for targeted drug delivery. By improving drug localization, enabling controlled release, and reducing systemic toxicity, these nanosystems have the potential to significantly improve the effectiveness of cancer treatments and contribute to the development of personalized medicine.

Magnetic Hyperthermia for Cancer Treatment

Magnetic hyperthermia is an emerging therapeutic technique that uses magnetic nanoparticles to generate localized heat within tumor tissues. This method exploits the ability of magnetic nanoparticles to convert electromagnetic energy into thermal energy when exposed to an alternating magnetic field. The resulting heat increases the temperature of tumor cells, leading to cellular damage and ultimately causing cancer cell death. The therapeutic principle of magnetic hyperthermia is based on the fact that cancer cells are more sensitive to elevated temperatures than normal cells. When the temperature of tumor tissue rises to approximately 42–45°C, several biological effects occur that contribute to cancer cell destruction. At these temperatures, protein denaturation, membrane disruption, and metabolic dysfunction occur within tumor cells, leading to apoptosis (programmed cell death) or necrosis. Because healthy tissues possess stronger heat tolerance and better blood circulation, they are less affected by moderate temperature increases. Magnetic nanoparticles used in hyperthermia therapy are typically composed of superparamagnetic iron oxide nanoparticles (SPIONs). When subjected to an alternating magnetic field, these nanoparticles generate heat through mechanisms such as Néel relaxation and Brownian relaxation, which involve magnetic moment reorientation and physical particle rotation within the surrounding medium. The efficiency of heat generation depends on nanoparticle size, magnetic properties, field strength, and frequency of the applied magnetic field. One of the major advantages of magnetic hyperthermia is its localized treatment capability. By directing magnetic nanoparticles specifically to tumor tissues through magnetic targeting or biological functionalization, heat can be generated only in the affected region. This targeted heating minimizes damage to surrounding healthy tissues and improves treatment precision. In addition,

hyperthermia treatment can penetrate deeper tissues compared with other heating methods such as laser or microwave therapy. Magnetic hyperthermia has also shown significant potential when used in combination with other cancer therapies. For instance, hyperthermia can enhance the effectiveness of chemotherapy by increasing tumor blood flow and improving drug penetration into cancer cells. Elevated temperatures can also increase the sensitivity of tumor cells to radiation therapy, making radiotherapy more effective. These synergistic effects allow lower doses of drugs or radiation to be used, thereby reducing side effects. Clinical studies and experimental trials have demonstrated promising results for magnetic hyperthermia in treating various types of tumors, including brain tumors, prostate cancer, and breast cancer. In particular, the use of iron oxide nanoparticles for hyperthermia treatment of glioblastoma has shown encouraging outcomes in clinical trials. Researchers are currently exploring new nanoparticle designs that improve heat generation efficiency, targeting accuracy, and therapeutic safety.

Challenges and Future Directions

Despite the significant progress made in the development of magnetic nanoparticles for biomedical applications, several challenges must still be addressed before these technologies can achieve widespread clinical adoption. One of the primary concerns involves biocompatibility and long-term toxicity. Although iron oxide nanoparticles are generally considered safe and biodegradable, their accumulation in organs such as the liver, spleen, and lungs can potentially cause adverse biological effects. Understanding the long-term fate and metabolic pathways of nanoparticles within the body remains an important area of ongoing research. Another major challenge is the controlled distribution and targeting efficiency of nanoparticles within complex biological systems. After administration, nanoparticles interact with proteins and immune cells in the bloodstream, which can alter their surface properties and affect their biodistribution. This phenomenon, known as the formation of a "protein corona," may reduce targeting accuracy and accelerate nanoparticle clearance by the immune system. Researchers are developing advanced surface coatings and stealth technologies, such as polyethylene glycol (PEG) modification, to improve nanoparticle stability and prolong circulation time. The scalability and reproducibility of nanoparticle synthesis also present challenges for clinical translation. Producing nanoparticles with consistent size, shape, magnetic properties, and surface chemistry is essential for ensuring reliable therapeutic performance and regulatory approval. Advances in nanofabrication techniques and quality control methods are helping to address these issues, but further standardization is required. In addition, optimizing the strength and safety of external magnetic fields used in targeting and hyperthermia applications remains a critical technical challenge. Magnetic field systems must be designed to deliver sufficient field strength to guide nanoparticles without causing harm to surrounding tissues. Developing portable and clinically compatible magnetic devices will be essential for practical implementation of magnetic nanoparticle therapies. Future research is expected to focus heavily on the development of multifunctional theranostic nanoparticles that integrate diagnostic imaging, drug delivery, and therapeutic functions within a single nanosystem. These advanced platforms could allow physicians to detect tumors, deliver targeted therapy, and monitor treatment responses in real time using the same nanoparticle system. Such integrated technologies represent a major step toward personalized medicine and precision oncology. Moreover, advances in artificial intelligence and computational modeling are likely to assist researchers in designing more effective nanoparticle systems by predicting nanoparticle behavior in biological environments. With continued interdisciplinary collaboration among materials scientists, biomedical engineers, and clinicians, magnetic nanoparticle technologies have the potential to transform cancer diagnosis and treatment in the coming decades.

Summary

Magnetic nanoparticles represent one of the most promising developments in nanomedicine. Their ability to respond to external magnetic fields, combined with their nanoscale size and functionalization capabilities, makes them ideal tools for biomedical imaging and cancer therapy. Recent advances have enabled the development of multifunctional nanoparticles capable of performing diagnostic imaging, targeted drug delivery, and magnetic hyperthermia therapy. These innovations are transforming cancer treatment by improving tumor detection, enhancing therapeutic precision, and reducing side effects. Although challenges such as toxicity and clinical translation remain, ongoing research continues to improve nanoparticle design and safety. With further technological advancements, magnetic nanoparticles are expected to play a crucial role in future precision medicine and cancer therapy.

References

[1] Sun, C., Lee, J., & Zhang, M. (2008). Magnetic nanoparticles in MR imaging and drug delivery.
[2] Materón, E. M., et al. (2021). Magnetic nanoparticles in biomedical applications: A review.
[3] Ghazi, R., et al. (2025). Iron oxide nanoparticles for hyperthermia therapy.
[4] Yang, Y., et al. (2025). Magnetic nanomaterials for medical imaging and therapy.
[5] Lucaciu, C. M., et al. (2024). Magnetic hyperthermia therapy in cancer treatment.
[6] Roy, I., et al. (2022). Therapeutic applications of magnetic nanoparticles.
[7] Fahim, Y. A., et al. (2025). Superparamagnetic nanoparticles in cancer management.
[8] Lee, J. H., et al. (2013). Magnetic nanoparticles for multi-imaging and drug delivery.
[9] Thiesen, B., & Jordan, A. (2008). Clinical applications of magnetic nanoparticles.
[10] Abdelmonem, M., et al. (2025). Synthesis of iron oxide nanoparticles for MRI and hyperthermia.
[11] Chen, Y., et al. (2025). Magnetic nanomaterials for hyperthermia-based therapy.
[12] Wang, B., et al. (2024). Nanotechnology in diagnosis and treatment of malignant tumors.